

Water Quality Report

Regulatory Parameters

Jan 2026



East Gippsland Water

- Results -

Monthly Average Monthly Maximum 12 Month Result #

BAIRNSDALE

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	6
Total Trihalomethanes	mg/L	1
Turbidity	NTU	6

0	0	0
0.038	0.038	0.047
0.1	0.1	0.2

BEMM RIVER

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.046	0.046	0.082
0.1	0.1	0.3

BUCHAN

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.100	0.100	0.100
0.1	0.1	0.1

CANN RIVER

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.064	0.064	0.088
0.1	0.1	0.1

The Escherichia coli and Total trihalomethane values are a rolling 12 monthly maximum
The turbidity value is a rolling 12 month 95th Percentile

DINNER PLAIN

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	4
Turbidity	NTU	4

0	0	0
0.0	0.0	0.0
0.1	0.1	0.1

EAGLE POINT - PAYNESVILLE

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	5
Total Trihalomethanes	mg/L	2
Turbidity	NTU	5

0	0	0
0.048	0.051	0.052
0.1	0.1	0.1

KALIMNA

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.058	0.058	0.068
0.1	0.1	0.1

LINDENOW

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.026	0.026	0.034
0.1	0.2	0.2

LINDENOW SOUTH

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.032	0.032	0.035
0.1	0.1	0.2

The Escherichia coli and Total trihalomet
hane values are a rolling 12 monthly maxi
mum

The turbidity value is a rolling 12 month 9
5th Percentile

MALLACOOTA

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.043	0.043	0.110
0.5	0.7	0.8

MERRANGBAUR

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	5
Total Trihalomethanes	mg/L	1
Turbidity	NTU	5

0	0	0
0.058	0.058	0.066
0.1	0.1	0.1

METUNG

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.038	0.038	0.052
0.1	0.1	0.2

NICHOLSON - SWAN REACH

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.039	0.039	0.049
0.1	0.1	0.2

NOWA NOWA

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.065	0.065	0.088
0.1	0.1	0.1

The Escherichia coli and Total trihalomet
hane values are a rolling 12 monthly maxi
mum

The turbidity value is a rolling 12 month 9
5th Percentile

OME0

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.031	0.031	0.058
0.1	0.1	0.1

ORBOST

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.020	0.022	0.048
0.1	0.1	0.5

SARFIELD - BRUTHEN

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.030	0.033	0.055
0.1	0.1	0.2

SUNLAKES - TOORLOO

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	6
Total Trihalomethanes	mg/L	1
Turbidity	NTU	6

0	0	0
0.060	0.063	0.077
0.1	0.1	0.1

SWIFTS CREEK

Parameter:	Units:	No. of Samples:
Escherichia coli	orgs/100mL	4
Total Trihalomethanes	mg/L	1
Turbidity	NTU	4

0	0	0
0.060	0.063	0.079
0.1	0.1	0.1

The Escherichia coli and Total trihalomet
hane values are a rolling 12 monthly maxi
mum

The turbidity value is a rolling 12 month 9
5th Percentile

BEMM RIVER Results

31/01/2025

31/01/2026

E COLI(C) - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	610298	BEMM RIVER\RETICULATION\337A08 - 10 KATHLEEN DRV	0	ROUTINE	0
13/01/2026	609298	BEMM RIVER\RETICULATION\337A07 - 41 SYDENHAM PDE	0	ROUTINE	0
20/01/2026	608298	BEMM RIVER\RETICULATION\337A05 - 14 BORONIA ST (1ST ON LEFT)	0	ROUTINE	0
28/01/2026	611298	BEMM RIVER\RETICULATION\337A09 - 9 SYDNEHAM PDE	0	ROUTINE	0
				Count	4
				Avg	0
				Max	0
				Annual	0

Total Trihalomethanes - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	610281	BEMM RIVER\RETICULATION\337A08 - 10 KATHLEEN DRV	0.046	ROUTINE	0.046
				Count	1
				Avg	0.046
				Max	0.046
				Annual	0.082

Turbidity - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	610143	BEMM RIVER\RETICULATION\337A08 - 10 KATHLEEN DRV	0.10	ROUTINE	0.10
13/01/2026	609143	BEMM RIVER\RETICULATION\337A07 - 41 SYDENHAM PDE	0.10	ROUTINE	0.10
20/01/2026	608143	BEMM RIVER\RETICULATION\337A05 - 14 BORONIA ST (1ST ON LEFT)	0.10	ROUTINE	0.10
28/01/2026	611143	BEMM RIVER\RETICULATION\337A09 - 9 SYDNEHAM PDE	0.10	ROUTINE	0.10
				Count	4
				Avg	0.10
				Max	0.10
				Annual	0.30

Eagle Point - Payneville Results

31/01/2025

31/01/2026

E COLI(C) - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
7/01/2026	233298	MITCHELL\EAGLE POINT\EAGLE POINT\334B11 - NEWLANDS ARM COMMUNI	0	ROUTINE	0
15/01/2026	251298	MITCHELL\EAGLE POINT\EAGLE POINT\334A01 - 12 KINGS ROAD	0	ROUTINE	0
21/01/2026	262298	MITCHELL\EAGLE POINT\EAGLE POINT\334B12 - 39 FIRST PARADE (RAYMON	0	ROUTINE	0
21/01/2026	223298	MITCHELL\EAGLE POINT\EAGLE POINT\334A24 - 65 MCTAGGARTS RD	0	ROUTINE	0
29/01/2026	216298	MITCHELL\EAGLE POINT\EAGLE POINT\334B10 - 145 LAKE VICTORIA RD	0	ROUTINE	0
				Count	5
				Avg	0
				Max	0
				Annual	0

Total Trihalomethanes - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
15/01/2026	251281	MITCHELL\EAGLE POINT\EAGLE POINT\334A01 - 12 KINGS ROAD	0.045	ROUTINE	0.045
21/01/2026	262281	MITCHELL\EAGLE POINT\EAGLE POINT\334B12 - 39 FIRST PARADE (RAYMON	0.051	ROUTINE	0.051
				Count	2
				Avg	0.048
				Max	0.051
				Annual	0.052

Turbidity - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
7/01/2026	233143	MITCHELL\EAGLE POINT\EAGLE POINT\334B11 - NEWLANDS ARM COMMUNI	0.10	ROUTINE	0.10
15/01/2026	251143	MITCHELL\EAGLE POINT\EAGLE POINT\334A01 - 12 KINGS ROAD	0.10	ROUTINE	0.10
21/01/2026	262143	MITCHELL\EAGLE POINT\EAGLE POINT\334B12 - 39 FIRST PARADE (RAYMON	0.10	ROUTINE	0.10
21/01/2026	223143	MITCHELL\EAGLE POINT\EAGLE POINT\334A24 - 65 MCTAGGARTS RD	0.10	ROUTINE	0.10
29/01/2026	216143	MITCHELL\EAGLE POINT\EAGLE POINT\334B10 - 145 LAKE VICTORIA RD	0.10	ROUTINE	0.10
				Count	5
				Avg	0.10
				Max	0.10
				Annual	0.10

Kalimna Results

31/01/2025

31/01/2026

E COLI(C) - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
5/01/2026	325298	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C06 - 5 MARGARET CRT	0	ROUTINE	0
12/01/2026	322298	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C03 - 52 HAZEL RD	0	ROUTINE	0
19/01/2026	324298	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C05 - 48 POINTS RD	0	ROUTINE	0
29/01/2026	326298	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C07 - 5 TAMBO CRT	0	ROUTINE	0
				Count	4
				Avg	0
				Max	0
				Annual	0

Total Trihalomethanes - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
5/01/2026	325281	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C06 - 5 MARGARET CRT	0.058	ROUTINE	0.058
				Count	1
				Avg	0.058
				Max	0.058
				Annual	0.068

Turbidity - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
5/01/2026	325143	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C06 - 5 MARGARET CRT	0.10	ROUTINE	0.10
12/01/2026	322143	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C03 - 52 HAZEL RD	0.10	ROUTINE	0.10
19/01/2026	324143	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C05 - 48 POINTS RD	0.10	ROUTINE	0.10
29/01/2026	326143	MITCHELL\SUNLAKES - TOORLOO\KALIMNA\343C07 - 5 TAMBO CRT	0.10	ROUTINE	0.10
				Count	4
				Avg	0.10
				Max	0.10
				Annual	0.10

Nowa Nowa Results

31/01/2025

31/01/2026

E COLI(C) - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	335298	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A05 - 32 NOWA NOWA -	0	ROUTINE	0
13/01/2026	338298	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A09 - FARMERS COTTAG	0	ROUTINE	0
20/01/2026	336298	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A06 - 25 WANDIN WAY	0	ROUTINE	0
28/01/2026	338298	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A09 - FARMERS COTTAG	0	ROUTINE	0
				Count	4
				Avg	0
				Max	0
				Annual	0

Total Trihalomethanes - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	335281	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A05 - 32 NOWA NOWA -	0.065	ROUTINE	0.065
				Count	1
				Avg	0.065
				Max	0.065
				Annual	0.088

Turbidity - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	335143	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A05 - 32 NOWA NOWA -	0.10	ROUTINE	0.10
13/01/2026	338143	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A09 - FARMERS COTTAG	0.10	ROUTINE	0.10
20/01/2026	336143	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A06 - 25 WANDIN WAY	0.10	ROUTINE	0.10
28/01/2026	338143	MITCHELL\SUNLAKES - TOORLOO\NOWA NOWA\341A09 - FARMERS COTTAG	0.10	ROUTINE	0.10
				Count	4
				Avg	0.10
				Max	0.10
				Annual	0.10

Omeo Results

31/01/2025

31/01/2026

E COLI(C) - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
5/01/2026	859298	OMEO\RETICULATION\344A04 - 41 PARK STREET (beside Motel)	0	ROUTINE	0
12/01/2026	858298	OMEO\RETICULATION\344A01 - BILTON STREET (Cemetery)	0	ROUTINE	0
19/01/2026	863298	OMEO\RETICULATION\344A08 - CWA HALL. DAY AVE (LOW LEVEL)	0	ROUTINE	0
27/01/2026	862298	OMEO\RETICULATION\344A07 - 8 CREEK ST	0	ROUTINE	0
Count					4
Avg					0
Max					0
Annual					0

Total Trihalomethanes - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
5/01/2026	859281	OMEO\RETICULATION\344A04 - 41 PARK STREET (beside Motel)	0.031	ROUTINE	0.031
Count					1
Avg					0.031
Max					0.031
Annual					0.058

Turbidity - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
5/01/2026	859143	OMEO\RETICULATION\344A04 - 41 PARK STREET (beside Motel)	0.10	ROUTINE	0.10
12/01/2026	858143	OMEO\RETICULATION\344A01 - BILTON STREET (Cemetery)	0.10	ROUTINE	0.10
19/01/2026	863143	OMEO\RETICULATION\344A08 - CWA HALL. DAY AVE (LOW LEVEL)	0.10	ROUTINE	0.10
27/01/2026	862143	OMEO\RETICULATION\344A07 - 8 CREEK ST	0.10	ROUTINE	0.10
Count					4
Avg					0.10
Max					0.10
Annual					0.15

Orbost Results

31/01/2025

31/01/2026

E COLI(C) - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	565298	ORBOST\RETICULATION\ORBOST\340A12 - 34 HAMILTON STREET	0	ROUTINE	0
13/01/2026	564298	ORBOST\RETICULATION\ORBOST\340A11 - 27 BOWER ST	0	ROUTINE	0
20/01/2026	580298	ORBOST\RETICULATION\ORBOST\340A13 - 11 WARRENS RD - NEWMERELLA	0	ROUTINE	0
28/01/2026	566298	ORBOST\RETICULATION\ORBOST\340A17 - 34 MARLO RD (SUNDOWNER)	0	ROUTINE	0
				Count	4
				Avg	0
				Max	0
				Annual	0

Total Trihalomethanes - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	565281	ORBOST\RETICULATION\ORBOST\340A12 - 34 HAMILTON STREET	0.02	ROUTINE	0.02
				Count	1
				Avg	0.020
				Max	0.022
				Annual	0.048

Turbidity - Monthly

Date	VarNum	Location Path	Result	Sampling Type	Result to use
6/01/2026	565143	ORBOST\RETICULATION\ORBOST\340A12 - 34 HAMILTON STREET	0.10	ROUTINE	0.10
13/01/2026	564143	ORBOST\RETICULATION\ORBOST\340A11 - 27 BOWER ST	0.10	ROUTINE	0.10
20/01/2026	580143	ORBOST\RETICULATION\ORBOST\340A13 - 11 WARRENS RD - NEWMERELLA	0.10	ROUTINE	0.10
28/01/2026	566143	ORBOST\RETICULATION\ORBOST\340A17 - 34 MARLO RD (SUNDOWNER)	0.10	ROUTINE	0.10
				Count	4
				Avg	0.10
				Max	0.10
				Annual	0.45

