

## Hardness

LOCATION	mg/L			mmol/L			Degrees (dGH/°dH)			French Degrees (°fH)		
	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg
Bemm River	15	19	17	0.15	0.19	0.17	0.84	1.06	0.94	1.5	1.9	1.7
Buchan	23	45	35	0.23	0.45	0.35	1.29	2.52	1.96	2.3	4.5	3.5
Cann River	22	28	25	0.22	0.28	0.25	1.23	1.57	1.39	2.2	2.8	2.5
Dinner Plain												
Omeo	12	19	15	0.12	0.19	0.15	0.67	1.06	0.85	1.2	1.9	1.5
Orbost	17	28	20	0.17	0.28	0.20	0.95	1.57	1.14	1.7	2.8	2.0
Mallacoota	29	69	44	0.29	0.69	0.44	1.62	3.87	2.48	2.9	6.9	4.4
Swifts Creek	52	87	72	0.52	0.87	0.72	2.91	4.87	4.03	5.2	8.7	7.2
<b><i>Mitchell System</i></b>												
Bairnsdale	19	26	22	0.19	0.26	0.22	1.06	1.46	1.24	1.9	2.6	2.2
Eagle Point / Paynesville	21	28	25	0.21	0.28	0.25	1.18	1.57	1.38	2.1	2.8	2.5
Kalimna	21	28	24	0.21	0.28	0.24	1.18	1.57	1.35	2.1	2.8	2.4
Lakes Entrance	20	31	26	0.20	0.31	0.26	1.12	1.74	1.45	2.0	3.1	2.6
Lindenow	18	27	23	0.18	0.27	0.23	1.01	1.51	1.27	1.8	2.7	2.3
Merrangbaur	20	29	25	0.20	0.29	0.25	1.12	1.62	1.38	2.0	2.9	2.5
Metung	20	30	25	0.20	0.30	0.25	1.12	1.68	1.38	2.0	3.0	2.5
Nowa Nowa	24	34	28	0.24	0.34	0.28	1.34	1.91	1.56	2.4	3.4	2.8
Sarsfield / Bruthen	19	29	23	0.19	0.29	0.23	1.06	1.62	1.28	1.9	2.9	2.3
CLASSIFICATION	Min	Max		Min	Max		Min	Max		Min	Max	
Soft	0	60		0.00	0.60		0.00	3.36		0.0	6.0	
Moderately Hard	61	120		0.61	1.20		3.42	6.72		6.1	12.0	
Hard	121	180		1.21	1.80		6.78	10.09		12.1	18.0	
Very Hard	181			1.81			10.14			18.1		

<b><u>Algae</u></b>	Variable	Last	
Bemm River RWS	601964	0.000000	06/01/2026
Cann River RWS	801964	0.000000	24/02/2026
Mallacoota RWS	702964	0.000450	24/02/2026
Mallacoota CWS	703964	0.000000	03/02/2026
Woodglen RWS #1	41964	0.452978	25/02/2026
Woodglen RWS #2	42964	0.183240	25/02/2026
Lindenow CWS	105964		
Merrangbaur CWS	293964		
Omeo RWS 5ML	854964	0.000000	02/02/2026
Omeo RWS 10ML	855964	0.002739	02/02/2026
Swifts Creek RWS	902964	0.353965	18/02/2026
Orbost RWS	552964	0.001180	24/02/2026
Orbost CWS	553964	0.009890	03/02/2026

mg/L

Min

Max

Avg